



Bobcat®

Compact Tractors

CT5545 | CT5550 | CT5555 | CT5558



*One Tough
Animal*®



IT TAKES A LOT OF WORK TO LIVE THE SIMPLE LIFE.

THE BOBCAT BRAND was literally born in a barn. Designed for a turkey farmer, the original compact loader was destined to clean small livestock pens and stalls. Ever since, Bobcat® equipment has been a mainstay on ranches, dairies and all kinds of fruit, grain and vegetable operations.

With a lineup of 15 powerful compact tractors, your lifestyle is a perfect match for the Bobcat work style. Bobcat delivers performance, ease of use, versatility ... everything you need to make the most of your land. And it comes in a machine that's familiar, comfortable and durable enough to be worthy of the world's hardest-working brand.

**The simple life is busier than most people think.
Get the only tractor that's tough enough to **take on the challenge.****

PERFORMANCE

TURBO-CHARGED PERFORMANCE

For consistently high performance and impressive low-end torque that never relents in higher altitudes, 5000 platform tractors are equipped with a turbocharger.



ACCOMPLISH MORE.

The more you do with your tractor, the more ideas you have for your property. Bobcat compact tractors prepare you for every possibility.

These agile machines are strong enough to work inside and around sheds, barns, animal enclosures and anywhere else the work takes you. With models up to 58 engine hp, electronic hydrostatic transmission, plus generous lifting ability, ground clearance and a powerful 3-point hitch with power take-off (PTO), Bobcat brings outstanding performance and value to your property.

From its wheelbase to its length, tire options and overall engineering, your Bobcat compact tractor is powerful and capable while being responsive and comfortable to operate. With top travel speeds as high as 17.5 mph, you'll spend less time moving from one point to another, and you'll make every second count when you have work to get done. And because a hard-working tractor needs hard-working traction, you can easily engage four-wheel drive whenever the work demands it.



Electronic Hydrostatic Transmission (E-HST)

E-HST offers the simplicity and ease of direction change that you get with HST, but the electronic acceleration provides near-effortless pressure on the travel pedal to control your speed. It also enables true cruise control that keeps you moving at a constant speed. Even when you drive up a slope, there's no need to adjust the travel pedal to keep your momentum.

Tight Turning Radius

Maximum maneuverability is the key to effective mowing, tilling and more. Bobcat compact tractors feature a tight turning radius – as little as 9.8 feet, depending on the model – so you can move in close to trees, buildings and other obstacles.

Steering Brakes

Steering brakes are especially useful when you're working between buildings, in pens and barns, or around trees. They assist in maintaining a tight turning radius, nearly pivoting the tractor on the inside wheel.

Impressive Drawbar Towing

Bobcat compact tractors deliver competitive drawbar towing power and force for heavy towing performance that beats many other tractor brands.

Anti-Stall Function

Prevent engine stall during high-load operations – the anti-stall function allows you to more confidently tackle heavy-duty tasks with your compact tractor.

PTO Cruise

PTO cruise allows you to maintain rpm at your preferred setting – even as the tractor's load conditions change.

Independent PTO

Engage the rear PTO with the turn of a switch.

Tire Options

Three types of tires are available for Bobcat compact tractors. They offer a combination of reliability and ride quality to match the requirements of your work.

Turf Tires

Turf tires are designed with less aggressive tread that minimizes disturbance on lush lawns and established landscaping.

Industrial Tires


Industrial tire tread is wider than agricultural tires, and the lugs are deeper than turf tires. They deliver great traction for all ground conditions and many different applications.

Agricultural Tires

These tough tires have deep lugs for optimal traction and self-cleaning in soft soil and mud. They also deliver more power to the ground when towing heavy loads or pulling implements.

Adjustable Hitch

The hitch is adjustable to provide towing flexibility and convenience.



PROTECT YOUR INVESTMENT.

From rugged metal hoods to the solid and sturdy construction of our 3-point hitches to our unmatched dealer support, your Bobcat tractor is up for a challenge.

Your chores demand daily attention. Your tractor needs to be ready to work when you are. Bobcat compact tractors are built to contend with the dust, dirt and grit of your toughest challenges, and they're designed with ease of maintenance in mind.

Tier 4 Diesel Engine

The powerful Tier 4 diesel engine offers robust, high-power performance, plus an efficient fuel system. You'll enjoy reliable tractor start-ups and long component life, as well as low noise and vibration for comfortable work.

Metal Hood

The metal hood, designed to provide great visibility from the operator station, stands up to tough jobs, reliably protecting the engine and components from dirt and debris.

Brush Guard

Included with the optional front-end loader, the heavy-duty brush guard protects your tractor's front end from debris, branches and other obstacles.

Polymer Fuel Tank

A heavy-duty polymer fuel tank maintains fuel integrity and eliminates rust-related contamination.

THE BOBCAT DEALER NETWORK ADVANTAGE

Bobcat built its brand on quality equipment serviced by reliable local dealers, with warranty repairs and parts availability that are second to none. With the help of our knowledgeable dealers, Bobcat customers have kept machines running for decades doing the toughest jobs imaginable. If you're looking for long-term service and support, take a look at Bobcat compact tractors.



MINIMIZE YOUR MAINTENANCE.

You buy a tractor to work. It shouldn't be a job to keep it running. Maintenance points on your tractor are easy to find and reach – so upkeep is simple and takes less time. Flip up the metal hood – it opens nearly 90 degrees – to easily access the battery, filters and other checkpoints. Other components are simple to reach and service, allowing you to easily retain peak performance for years.



One-Side Maintenance

All daily checks, engine fluid fills and filters are located on one side of the engine, which makes it easy to keep your tractor running smoothly with minimal effort.

One-Piece Engine Hood With Air Cylinder Assist

There are no side panels to remove when you need to access your engine. It's as easy as lifting the hood. With the air cylinder assist, it takes little effort. When fully opened, the tractor's hood stands nearly perpendicular to the engine compartment. This provides best-in-class maintenance accessibility and makes virtually all of the major service points easy to reach.

ENJOY YOUR WORK.

Power and Tilt Steering

Power steering adds near-effortless maneuverability, and the tilt function enables any operator to adjust to the position that feels most comfortable.

Cab-Integrated Joystick Lever

The joystick lever is within easy reach for simple loader work, but it's also strategically positioned to maintain high visibility. The molded grip feels comfortable in your hand and makes the front-end loader respond intuitively to your command.

Comfortable Operator Station with Ergonomic Controls

The operator station on Bobcat compact tractors is designed to enable hours of comfortable, confident work. All of your controls, gauges and buttons on Bobcat compact tractors are thoughtfully laid out with your ease of use in mind. The illuminated dashboard allows you to operate and easily monitor performance in all light conditions.

Electronic Linked Pedal Option

Enable travel pedals to increase or decrease engine rpm and make front-end loader work and a variety of other jobs easy. With the push of a button, the travel and engine throttle are linked.

Headlights

Bright headlights illuminate the job for high visibility for evening work and other low light conditions.

Tail Lamp

Provides excellent visibility and long bulb life.

When you have hours of mowing and acres of upkeep ahead of you, a comfortable tractor is a must. Bobcat compact tractors offer outstanding features that make tough jobs comfortable and enjoyable. Intuitive controls that fit you naturally. A comfortable ride. A quiet engine that helps you focus on the job. When the projects pile up, you won't mind spending extra time on this tractor.



Panoramic Visibility

When you sit in the Bobcat compact tractor's cab, you'll notice its panoramic visibility – made possible with wide glass panels and minimal obstruction from the inside and outside. A window to the 3-point hitch ensures that you can monitor your implement and work performance without having to frequently step out of the cab.

Enclosed Radio-Ready Cab With Heat and Air Conditioning

When the elements won't cooperate, a comfortable cab provides all-weather comfort while protecting your ability to get the job done in any season.

True Cruise Control

The electronic HST control system enables the tractor to maintain a set speed to changing ground and load conditions. The feature is useful for work requiring a set speed for coverage or application.

Rubber Deck Mat

The rubber mat dampens vibrations through the floor to give you a more comfortable day's work.

Low Noise, Low Vibration

The engine in your Bobcat compact tractor is designed to produce low noise levels with minimal vibration to keep you working comfortably and focused on the task.

Speed Limit

Enhance safety or help operators work more confidently by electronically limiting the maximum travel speed.

Rearview Mirror Kit

Keep track of your surroundings with the rearview mirror kit.



DO MORE WITH ONE MACHINE.

From mowing to grading to digging, your property presents endless opportunities to get outside and get something done. From front to back, Bobcat tractors are well equipped for it.



Front-End Loader With Standard Quick Attach Mounting System

The front-end loader is a must-have for digging, dirt moving, loading and carrying material. On your Bobcat tractor, the front-end loader is easy to attach and remove, plus it delivers leading lift capacity and height for exceptional productivity. Front-end loaders are equipped with float functionality to follow ground contours as you work.

Crank Style Lift Rod Adjustment

Move the links up and down with the least amount of effort, and quickly get to work instead of spending time changing your implement. Turn the crank to quickly find the right position, and get a fast, easy connection.

External Lever-Controlled 3-Point Hitch Adjustment

You can easily raise and lower the 3-point hitch lift arms using the height control lever, located on the rear of the machine.

Take on digging, loading and material handling with a strong, easy-to-use front-end loader. Handle mowing or snow removal with the help of the optional mid-mount PTO and use an array of implements with your 3-point hitch and rear PTO. Your dealer can help you acquire a range of Bobcat implements for the work you do on your land.



Telescopic Lower Links

One person can quickly change implements with minimal effort using telescoping lower links and stabilizers. It provides the fastest, easiest positioning for lining up your 3-point hitch.

Standard Rear Remote Hydraulics

A rear remote hydraulic valve allows you to gain even more attachment versatility by enabling hydraulic functions used to control or position many implements. One pair of rear remotes come standard, and a second and third pair can be installed as an accessory.

Rear PTO and 3-Point Hitch

The 3-point hitch is key to your tractor's versatility. It enables you to do a large number of tasks on your property with both drag-behind and PTO-powered implements.

Quick-Pin Detach Sway Bars

Secure and remove sway bar pins with ease to save time and effort with every implement change.

Angled Lower Lift Arms

The lower lift arms provide a forgiving angled design that makes implement hookup quick and easy.

Flip-Up PTO Guard

The flip-up PTO guard ensures easy attachment installation while providing operator protection during use.

Draft Control

Draft control helps maintain desired height of implements such as the angle blade or box blade as you work through hard ground. Hydraulic draft control senses the extra strain on the 3-point hitch and raises the implement just enough to get through the hard spot, then immediately returns to the desired depth.



IMPLEMENTS AND ATTACHMENTS

Your compact tractor packs a lot of versatility for the price, and hard-working Bobcat implements and attachments are made to handle the numerous possibilities you uncover on your land.



Backhoe

Turn your Bobcat compact tractor into a powerful part-time excavator with this handy attachment. The backhoe is great for general purpose digging and trenching. Sub frame included.

Model	BH86-5
Digging Depth (2' flat bottom)	94.3 in. (2397 mm)
Reach From Center Line of Swing Pivot	125.3 in. (3184 mm)
Loading Height (bucket at 60°)	76.3 in. (1939 mm)
Max. Leveling Angle	10°
Swing Arc	180°
Max. Transport Height	86.6 in. (2199 mm)
Bucket Rotation	170°
Stabilizer Spread (down position)	73.3 in. (1862 mm)
Stabilizer Spread (up position)	69.0 in. (1752 mm)
Bucket Digging Force	3532 lbf. (15,711 N)
Operating Pressure	2249 psi (155 bar)
Shipping Weight (without bucket)	1102 lb. (499 kg)



Front-End Loader

The front-end loader is a must-have for digging, dirt moving, loading and carrying material. The Bobcat front-end loader is easy to attach and remove, plus it delivers impressive lift capacity and height for exceptional productivity.

Model	FL9-5
Max. Lift Height to Pivot Pin	108.6 in. (2760 mm)
Max. Lift Height Under Level Bucket	100.6 in. (2555 mm)
Clearance With Bucket Dumped	80.6 in. (2049 mm)
Reach at Max. Lift Height	7.5 in. (189 mm)
Max. Dump Angle	59°
Reach With Bucket on Ground	70.2 in. (1783 mm)
Max. Rollback Angle	37°
Digging Depth	6.4 in. (162 mm)
Lift Capacity at Pivot Pin (max. height)	2346 lb. (1064 kg)
Breakout Force at Pivot Pin	4524 lb. (2052 kg)
Weight	1400 lb. (635 kg)
Bucket Width	72.0 in. (1829 mm)



Front Mount Snowblower

The front mount snowblower gives you powerful snow-clearing ability with the convenience of a quick attach mount. Powered by your tractor's mid-mount PTO* (mid-mount PTO required), this attachment cuts a wide path through deep, heavy snow. Direct snow exactly where you want it with the hydraulic chute rotation.

Model	FSB72
Overall Width	74.0 in. (1880 mm)
Cutting Width	72.0 in. (1830 mm)
Cutting Height (blower on the ground)	24.5 in. (622 mm)
Auger Diameter	14.0 in. (356 mm)
Fan Diameter	20.0 in. (508 mm)
Chute Rotation (hydraulic)	230°
Deflector Adjustment (manual)	90°
Weight	620 lb. (282 kg)
Drive	Mid-PTO
Driveline Protection	Shear Bolt
Recommended HP Range	45.0-60.0 hp (33.5-44.7 kW)
Cutting Edge Design	Reversible/Replaceable
Cutting Edge Dimensions	0.5 x 4.0 in. Steel (13 x 102 mm Steel)
Skid Shoes	Adjustable/Replaceable 3/8 in. Steel (9.5 mm Steel)
Blower Design	Two Stage

*Front lift kit and PTO driveline kit are required for operation of the front mount snowblower attachment.

Bobcat provides you access to a world of Bobcat implements and front-end loader attachments – so you can get the most work from your tractor investment. Whether it's moving snow, installing a fence or taking care of animals, when you have the right tractor and the right implement or attachment, there is virtually no task that's beyond your ability.

There are more than 550 dealer locations in North America, so you're never far from an expert source of implements, attachments, accessories, parts and service.



3 pt. auger



Tine rake



3 pt. box blade



3 pt. rotary cutter



3 pt. finish mower



3 pt. angle blade



Rear ballast



3 pt. tiller



3 pt. snowblower



Quick hitch

DEALER-INSTALLED KITS AND OPTIONS

You can customize and accessorize your Bobcat compact tractors to improve productivity, enhance durability, maximize operator comfort and more. Simply choose options and accessories* that match your unique demands.

- Block heater kit
- Fuel recirculation valve kit
- Mid-PTO kit
- Mid-PTO lever
- Radio kit
- Rear wiper kit
- Second remote hydraulic valve – spring
- Third function kit
- Third remote hydraulic valve – detent

** Options and accessories are subject to change.*

SPECIFICATIONS




Model	CT5545 E-HST	CT5550 E-HST	CT5555 E-HST	CT5558 E-HST
Engine	Diesel	Diesel	Diesel	Diesel
Gross Horsepower	45.0 hp (33.5 kW)	50.0 hp (37.5 kW)	55.0 hp (41.0 kW)	57.7 hp (43.0 kW)
No. of Cylinders	3	3	3	3
Total Displacement	111.4 cu. in. (1.8 L)	111.4 cu. in. (1.8 L)	111.4 cu. in. (1.8 L)	111.4 cu. in. (1.8 L)
Fuel Tank Capacity	14.8 gal. (56.0 L)	14.8 gal. (56.0 L)	14.8 gal. (56.0 L)	14.8 gal. (56.0 L)
3-Point, PTO & Hydraulics				
3-Point Hitch	Category 1	Category 1	Category 1	Category 1
3-Point Lift Capacity*	3177 lb. (1441 kg)	3177 lb. (1441 kg)	3177 lb. (1441 kg)	3177 lb. (1441 kg)
3-Point Link Stabilizers	Telescopic	Telescopic	Telescopic	Telescopic
Lift Control Type	Position with Draft Control	Position with Draft Control	Position with Draft Control	Position with Draft Control
Lifting Rod	Crank	Crank	Crank	Crank
Lower Links	Telescopic	Telescopic	Telescopic	Telescopic
Mid-PTO	2103 rpm (Opt)	2103 rpm (Opt)	2103 rpm (Opt)	2103 rpm (Opt)
PTO Horsepower	33.9 hp (25.3 kW)	38.9 hp (29.0 kW)	43.1 hp (32.1 kW)	48.3 hp (36.0 kW)
Rear Hydraulics	1 Pair Std (2nd and 3rd Opt)	1 Pair Std (2nd and 3rd Opt)	1 Pair Std (2nd and 3rd Opt)	1 Pair Std (2nd and 3rd Opt)
Rear PTO	540 rpm	540 rpm	540 rpm	540 rpm
Rear PTO System	Independent	Independent	Independent	Independent
Total Hydraulic Pump Capacity	17.8 gpm (67.6 L/min.)	17.8 gpm (67.6 L/min.)	17.8 gpm (67.6 L/min.)	17.8 gpm (67.6 L/min.)
Drive System				
Standard Transmission	3-Range E-HST	3-Range E-HST	3-Range E-HST	3-Range E-HST
Brakes	Wet Multi-disc	Wet Multi-disc	Wet Multi-disc	Wet Multi-disc
Rear Differential Lock	Std	Std	Std	Std
Four-Wheel Drive	Std	Std	Std	Std
Travel Speeds (with ind. tires)				
Forward	17.5 mph (28.2 km/hr.)	17.5 mph (28.2 km/hr.)	17.5 mph (28.2 km/hr.)	17.5 mph (28.2 km/hr.)
Reverse	17.5 mph (28.2 km/hr.)	17.5 mph (28.2 km/hr.)	17.5 mph (28.2 km/hr.)	17.5 mph (28.2 km/hr.)
Dimensions				
Overall Length (with 3 pt.)	139.6 in. (3547 mm)	139.6 in. (3547 mm)	139.6 in. (3547 mm)	139.6 in. (3547 mm)
Overall Width (with industrial tires)	74.2 in. (1885 mm)	74.2 in. (1885 mm)	74.2 in. (1885 mm)	74.2 in. (1885 mm)
Overall Width (with ag tires)	71.2 in. (1808 mm)	71.2 in. (1808 mm)	71.2 in. (1808 mm)	71.2 in. (1808 mm)
Overall Width (with turf tires)	75.4 in. (1915 mm)	75.4 in. (1915 mm)	75.4 in. (1915 mm)	75.4 in. (1915 mm)
Overall Height	94.2 in. (2393 mm)	94.2 in. (2393 mm)	94.2 in. (2393 mm)	94.2 in. (2393 mm)
Wheelbase	75.6 in. (1920 mm)	75.6 in. (1920 mm)	75.6 in. (1920 mm)	75.6 in. (1920 mm)
Ground Clearance	13.0 in. (330 mm)	13.0 in. (330 mm)	13.0 in. (330 mm)	13.0 in. (330 mm)
Weight	4685 lb. (2125 kg)	4685 lb. (2125 kg)	4685 lb. (2125 kg)	4685 lb. (2125 kg)
Steering	Hydrostatic Power Steering	Hydrostatic Power Steering	Hydrostatic Power Steering	Hydrostatic Power Steering
Inside Turning Radius (with assisted braking)	117.6 in. (2990 mm)	117.6 in. (2990 mm)	117.6 in. (2990 mm)	117.6 in. (2990 mm)
Tilt Steering Wheel	Std	Std	Std	Std
Safety Equipment				
Safety Interlock System (neutral start-operating)	Std	Std	Std	Std
Fold-Down ROPS (roll-over protective structure)	—	—	—	—
Fully Retractable Seatbelt	Std	Std	Std	Std
Features				
Adjustable Seat	Std	Std	Std	Std
Cup Holder	Std	Std	Std	Std
Glow Plug Engine Pre-heat	Std	Std	Std	Std
Head Lights/Tail Lights/Brake Lights	Std	Std	Std	Std
Cruise Control	Std	Std	Std	Std
Spark Arrestor Muffler	Std	Std	Std	Std
Horn/Hazard Flasher/Turn Signals	Std	Std	Std	Std
Rear Working Light	Std	Std	Std	Std
Side Mirror	Std	Std	Std	Std
Enclosed Cab With Heat and Air Conditioning	Std	Std	Std	Std

*Note: Hydraulic 3 pt. lift capacity will vary depending on lift point height.



One Tough Animal[®]

B O B C A T T I M E L I N E





YOU ARE ONE TOUGH ANIMAL.®

Everything we put into Bobcat equipment is designed to make more of whatever you bring to the job. Whether it's strength, versatility, speed or agility, it's built around you.

Certain specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual Bobcat equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors.

DOOSAN

Bobcat Company is a member of the Doosan Group. Doosan is a global leader in construction, grounds maintenance and material handling equipment, power and water solutions, and engineering that has proudly served customers and communities for more than a century. Bobcat®, the Bobcat logo and the colors of the Bobcat machine are registered trademarks of Bobcat Company in the United States and various other countries. ©2022 Bobcat Company. All rights reserved.



Printed on 10% recycled paper

B-2283 (03/22)
EP-5M-0322-81538-F

Bobcat Company
250 East Beaton Drive • West Fargo, ND 58078

Bobcat.com



Bobcat®

One Tough Animal.